

Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	20 hPa at 89 °C
Density	1,230 g/cm ³
Water solubility	slightly soluble
Partition coefficient: n-octanol/water	log Pow: -0,07

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NO_x)

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD₅₀ Oral - rat - 192 mg/kg

Remarks: Brain and Coverings:Other degenerative changes. Kidney, Ureter, Bladder:Interstitial nephritis.

Inhalation: Irritating to respiratory system.

Irritation and corrosion

no data available

Sensitisation

no data available

Chronic exposure

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Genotoxicity in vitro - rat - Kidney

Micronucleus test

Genotoxicity in vivo - mouse - Oral

Micronucleus test

Laboratory experiments have shown mutagenic effects.

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Potential Health Effects

Inhalation

May be harmful if inhaled. May cause respiratory tract irritation.